



Alphabetical Dist Price List

Niobrara R & D Corporation

<i>Part #</i>	<i>Description</i>	<i>List Price</i>
A66N2K	Johnson Controls Metasys® interface for Altivar 66 drives; includes PB15 terminal block adapter	\$ 1,044.00
A66P1K	Siemens Building Automation (Landis Division) for Altivar 66 drives; includes PB15 terminal block adapter	\$ 1,044.00
A66SMC	SY/MAX interface for Altivar 66 drives; includes cable	\$ 957.00
AB500K	Allen-Bradley® SLC 500® programming cable plus SD034B 25- to 9-pin adapter	\$ 286.00
ABPI500K	AB500K and PI500 sold together at a special price	\$ 419.00
AIM4-3M	ASCII input module; four RS-485 ports, one RS-422 configuration/multiplexed SY/MAX port, 16-bit SY/MAX rack interface	\$ 2,989.00
AIM4-3S	ASCII input module; four RS-232 ports, one RS-422 configuration/multiplexed SY/MAX port, 16-bit SY/MAX rack interface	\$ 2,603.00
ASC	Advanced Seriplex Clock Module, DIN-rail mount	\$ 297.00
BB85	Breakout box; RJ45 to terminal block; terminal block is removable with screw terminals (Powerlogic pinout); DIN-rail mount; includes MM0 cable to connect to RJ45 RS-485 serial port	\$ 116.00
CAM500	Content Addressable Memory, 512,000 register memory bank, SY/MAXrack addressed	\$ 2,224.00
CAT2-BT	Protocol converter, one DB9P RS-232 ASCII port, one DB9S RS-485 Unitelway port, DIN rail mount	\$ 842.00
CAT2-SC	Protocol converter, one DB9S RS-232 port, one DB9P RS-232 port, DIN-rail mount, RNIM slave to Modbus master	\$ 842.00
CERI-001	Compact Ethernet Remote Interface, 10/100BaseT Ethernet port. Replaces Compact PLC with ModBus TCP/server.	\$ 1,500.00
CM50F	Model 50/IDEC female connector with backshell	\$ 9.50
CM50M	Model 50/IDEC male connector with backshell	\$ 9.50
CNOE-311	Compact Ethernet Module, RJ45 100BaseT Ethernet port, LCD screen	\$ 1,358.00
CNOE-900	Compact Ethernet Module, RJ45 100BaseT Ethernet port, two RS-232-/RS-485, LCD screen	\$ 2,198.00
CNOS-101	Compact Serial Option Module, two RS-232/RS-485 serial ports. LCD screen	\$ 1,130.00
CRPS-001	Compact Rack Power Supply; powers CUCM and/or CNOE Modules in a Compact extension rack for stand-alone operation. Not for use with Compact PLC or I/O. Includes TR121 100 Volt wall transformer.	\$ 670.00
CRPS-002	Compact Rack Power Supply; powers CUCM and/or CNOE Modules in a Compact extension rack for stand-alone operation. Not for use with Compact PLC or I/O. No transformer included; 10 to 24 VDC required, 16 Watts maximum	\$ 622.00
CTNA	Current Transformer Network Adapter, 9600 baud four-wire RS-485 even parity to two-wire RS-485 no parity converter, DIN-rail mount, includes TR95W 110 VAC wall	\$ 279.00
CUCM-O	Compact Universal Communication Module; two RJ45 serial ports, switchable RS-232 or RS-485; protocol converter, data concentrator, or user-programmed module. Preloaded with RPC application.	\$ 2,476.00
CUCM-OE	Compact Universal Communication Module, one 10BaseT Ethernet port; two RJ45 serial ports, switchable RS-232 or RS-485; protocol converter, data concentrator, or user-programmed module. Preloaded with RPC application which supports Modbus/TCP and SY/MAX Ethernet protocols	\$ 3,341.00

<i>Part #</i>	<i>Description</i>	<i>List Price</i>
DC1	9-pin SY/MAX Differential cable (six-foot CC100 equivalent); DB9P to DB9P	\$ 86.00
DC1-2	9-pin SY/MAX Differential cable, two feet long (CC102 equivalent)	\$ 78.40
DC2	SY/MAX Differential cable with handshaking; DB9P to DB9P (CC104 equivalent)	\$ 86.00
DC6	M1/M1E PLC to SY/MAX RS-485/422 cable, DB9 male with jack screws to DB9 male with one-piece slide lock	\$ 86.00
DC7	9-pin SY/MAX Differential cable (six-foot CC106 or CAB107 equivalent); DB9P to stripped/tinned	\$ 70.00
DC8	9-pin female SY/MAX pinout port with slide lock posts, stripped and tinned at the other end, connect CAB107 to a PEN-T or SC902 to a PEN.	\$ 70.00
DDC2I	RS-232 to RS-422/485 data-level converter; optically isolated; RJ45 RS-232 connector; DB9 and removable screw terminal RS-485 connectors; DIN-rail mount; includes TR92W 110 volt wall transformer and MM0 cable for multidropping RS-485 devices off of a CNOE, CNOS, CUCM, MUCM, or QUCM RS-232 port.	\$ 461.00
DDC2I-11	DDC2I with MM11 cable for multidropping RS-485 devices off of a PC COM port with DCD jumpered	\$ 461.00
DDC2I-15	DDC2I with MM15 cable for multidropping RS-485 devices off of an MUCM RS-232 port.	\$ 461.00
DDC2I-3	DDC2I with MM3 cable, multidrop RS-485 devices off of a Quantum or A-series Compact RS-232 DB9 port	\$ 461.00
DDC2I-5	DDC2I with MM5 cable for multidropping RS-485 devices off of a PC COM: port	\$ 461.00
DDC2I-6	DDC2I with MM6 cable for multidropping RS-485 devices off of a 25-pin Modem port	\$ 461.00
DE1	9-pin SY/MAX Differential Extension Cable; DB9S to DB9P	\$ 86.00
DE9C	DE9 female connector with backshell and slide lock posts	\$ 14.80
DE9P	DE9 male connector with backshell and one-piece slide lock	\$ 14.80
DE9S	DE9 female connector only	\$ 7.40
DSD4	Seriplex Conveyor Controller, 4-zone	\$ 1,084.00
DSDH	Handheld configuration tool for DSD4	\$ 1,392.00
EC29B	Two 9-pin RS-232 ports and a 25-pin RS-232 eavesdrop cable	\$ 116.00
EC29D	Two 9-pin RS-232 ports and a SY/MAX eavesdrop cable, includes TR92 110 VAC wall transformer	\$ 484.00
EC29S	Two 9-pin RS-232 ports and a 9-pin RS-232 eavesdrop cable	\$ 116.00
EMC-001	Ethernet Media Converter (turns EPE5-T into EPE5-D); RJ45 to BNC Thinwire	\$ 334.00
EN1	ThinWire Ethernet cable (six-foot CC601 equivalent)	\$ 58.00
EN611	ThinWire Ethernet cable end (CC611 equivalent)	\$ 25.40
EN612	ThinWire Ethernet cable T-connector (CC612 equivalent)	\$ 34.00
EN613	ThinWire Ethernet cable terminator (CC613 equivalent)	\$ 24.40
EN614	ThinWire Ethernet cable extension or barrel (CC614 equivalent)	\$ 21.20
EPE5-ST	Ethernet Port Expander with four RS-232 ports, 10BaseT Ethernet port, rack addressable, 16-bit SY/MAX rack interface	\$ 3,565.00
EPE5-T	Ethernet Port Expander with four RS-485 ports, 10BaseT Ethernet port, rack addressable, 16-bit SY/MAX rack interface	\$ 3,565.00
ETTP	AUI Ethernet Transceiver for twisted pair, RJ45	\$ 116.00
ETTW	AUI Ethernet Transceiver for ThinWire, BNC connector	\$ 125.00
FA422P	Model 50 (no echo) or IDEC FA Series to RS-422 (SY/MAX or Spectrum Operator Interface) converter cable with slide locks	\$ 239.00
FA422S	Model 50 (no echo) or IDEC FA Series to RS-422 (SY/MAX or Spectrum Operator Interface) converter cable with screw locks	\$ 239.00
FE902	Fuji Electric NB series PLC programming cable, DB9S and RJ45 connectors	\$ 229.00

<i>Part #</i>	<i>Description</i>	<i>List Price</i>
GA25F	Straight-through gender changer, 25-pin double female	\$ 9.00
GA25M	Straight-through gender changer, 25-pin double male	\$ 9.00
GA9F	Straight-through gender changer, 9-pin double female	\$ 9.00
GA9M	Straight-through gender changer, 9-pin double male	\$ 9.00
HCB10	Model 50 to PR4 handheld cable (six-foot LCB10 equivalent)	\$ 58.00
HCB15	Micro-1 to PR4 handheld cable (six-foot LCB15 equivalent)	\$ 58.00
IBSM-PLUS	Interbus-S Remote Bus Master Module plus 16-bit SY/MAX rack interface	\$ 3,843.00
IBSS	Interbus-S Remote Bus Slave Module, SY/MAX rack interface	\$ 1,861.00
ID422P	Model 50 to RS-422 (SY/MAX) converter cable with slide locks	\$ 239.00
ID422S	Model 50 to RS-422 (SY/MAX or Spectrum Operator Interface) converter cable with screw locks	\$ 239.00
LLC56	RJ11/RJ45 cable for the RM14K	\$ 7.40
MA9M	DB9 adapter for connecting an SC902 cable to a Quantum PLC	\$ 34.00
MC1	PC COM: port to Quantum or A-series Compact RS-232 cable; DB9P to DB9S	\$ 58.00
MD422P	Micro-1 to RS-422 (SY/MAX) converter cable with slide locks	\$ 239.00
MD422S	Micro-1 to RS-422 (SY/MAX or Spectrum Operator Interface) converter cable with screw locks	\$ 239.00
MDLM	Modbus Data Line Monitor (two 9-pin RS-232 connectors), four LEDs indicate TX, RX, CTS, RTS	\$ 58.00
MEB-RT	Modbus Plus™ to Ethernet bridge; redundant cable Modbus Plus port, 10BaseT Ethernet port, two RS-485 ports, rack addressable, 16-bit SY/MAX rack interface. Unity compatible	\$ 4,123.00
METH-001	Momentum empty communications adapter enclosure. Use with the MUCM to cover the circuit board when no communications adapter or processor is installed.	\$ 17.00
MLWF-001	Momentum LonWorks® Communication Adapter; 78K baud Free Topology; two removable screw terminal connectors; 20MHz processor	\$ 280.00
MMO	CNOE, CUCM, CNOS, E-series Compact, M1/M1E, or QUCM RS-232 port to DDC2I cable; RJ45 to RJ45	\$ 58.00
MM1	CNOE, CUCM, CNOS, E-series Compact, M1/M1E, or QUCM RS-232 port to PC COM: port cable; RJ45 to DB9S	\$ 58.00
MM10	QUCM to GAS micro cable, RJ45 to 10-pin header	\$ 58.00
MM11	DDC2I to PC COM: port cable with DCD jumpered, RJ45 to DB9S	\$ 58.00
MM12	QUCM, CUCM, or CNOS RS-232 to modem cable, FJ45 to DB26P, Module RTS and CTS connected to Modem DTR and DCD.	\$ 58.00
MM13	Magelis 25-pin to E-series Compact, Momentum or QUCM RS-232 port cable; RJ45 to DB25P	\$ 58.00
MM15	MUCM RS-232 port to DDC2I RS-232 port cable; screw terminal to RJ45	\$ 58.00
MM16	QUCM RS-232 to Caterpillar CCM, RJ45 to DB25S	\$ 58.00
MM17	CEV-300 to 984A RS-232 cable, RJ45 to DB25P	\$ 58.00
MM18	QUCM RS-232 to Yokogawa Analyzer Cable, RJ45 to DB25P	\$ 58.00
MM19	QUCM RS-232 to Digital Multimeter Cable, RJ45 to DB9P	\$ 58.00
MM2	CNOE, CUCM, CNOS, E-series Compact, or QUCM RS-232 port to A-series Compact cable; RJ45 to DB9P	\$ 58.00
MM3	DDC2I to A-series Compact or QUCM RS-232 port cable; RJ45 to DB9P; Also makes A-series Compact, M1/M1E, or QUCM port look like a PC COM: port	\$ 58.00
MM4	CNOE, CUCM, CNOS, E-Series Compact, M1/M1E, or QUCM RS-232 port to modem cable; RJ45 to DB25P	\$ 58.00
MM5	DDC2I to PC COM: port RS-232 cable; RJ45 to DB9S	\$ 58.00

<i>Part #</i>	<i>Description</i>	<i>List Price</i>
MM6	DDC2I to modem RS-232 cable; RJ45 to DB25P	\$ 58.00
MM7	CNOE, CUCM, CNOS, Momentum JNN 210 32 option adapter, or QUCM RS-485 port to SY/MAX port; RJ45 to DB9P	\$ 58.00
MM8	CNOE, CUCM, CNOS, Momentum JNN 210 32 option adapter, or QUCM RS-485 port to SY/MAX cable-end cable; RJ45 to DB9S; makes RS-485 port look like a SY/MAX port	\$ 58.00
MM9	CNOE, CUCM, CNOS, E-series Compact, M1/M1E, or QUCM RS-232 port to Modem Cable; RJ45 to DB25P; uses DCD for carrier detect (consult factory before ordering)	\$ 58.00
MSTD-101	Momentum Serial Communication Adapter; Modbus RTU, 8-bit, 9600 baud, isolated RS-485 with RJ45 connector	\$ 196.00
MSTD-102	Momentum Serial Communication Adapter; Modbus ASCII, 8-bit 9600 baud, isolated RS-485 with RJ45	\$ 196.00
MSTD-103	Momentum Serial Communication Adapter; Modbus RTU, 8-bit, 19.2K baud, isolated RS-485 with RJ45 connector	\$ 196.00
MSTD-108	Momentum Serial Communication Adapter; Modbus ASCII, 7-bit, 9600 baud, isolated RS-485 with RJ45	\$ 196.00
MSTD-201	Momentum Serial Communication Adapter; Modbus RTU, 8-bit, 9600 baud, isolated RS-485 with four-wire screw terminal	\$ 214.00
MSTD-203	Momentum Serial Communication Adapter; Modbus RTU, 8-bit, 19.2K baud, isolated RS-485 with four-wire screw terminal	\$ 214.00
MSTD-205	Momentum Serial Communication Adapter; Plogic/PNIM/RNIM, 8-bit, 9600 baud, isolated RS-485 with four-wire screw terminal	\$ 214.00
MSTD-301	Momentum Serial Communication Adapter; Modbus RTU, 8-bit, 9600 baud, isolated RS-485 with two-wire screw terminal	\$ 206.00
MSTD-303	Momentum Serial Communication Adapter; Modbus RTU, 8-bit, 19.2K baud, isolated RS-485 with two-wire screw terminal	\$ 206.00
MSTD-304	Momentum Serial Communication Adapter; Modbus ASCII, 8-bit, 19.2K baud, isolated RS-485 with two-wire screw terminal. Custom protocol for Powerlink G3 I/O bus.	\$ 206.00
MSTD-506	Momentum Serial Communication Adapter/KYZ counter; Modbus RTU, 8-bit, 9600 baud, isolated RS-485 with four-wire screw terminal; use with 24VDC-16 point Momentum input base (P/N 170 ADI 340 00) Non-volatile.	\$ 214.00
MSTD-507	Momentum Serial Communication Adapter/KYZ counter; Modbus RTU, 8-bit, 19.2K baud, isolated RS-485 with four-wire screw terminal; use with 24VDC-16 point Momentum input base (P/N 170 ADI 340 00) Non-volatile.	\$ 214.00
MSTS-101	Momentum Serial Communication Adapter; Modbus RTU, 8-bit, 9600 baud, isolated RS-232 with RJ45 connector	\$ 196.00
MSTS-102	Momentum Serial Communication Adapter; Modbus ASCII, 8-bit, 9600 baud, isolated RS-232 with RJ45 connector	\$ 196.00
MSTS-201	Momentum Serial Communication Adapter; Modbus RTU, 8-bit, 9600 baud, isolated RS-232 with four-wire screw terminal	\$ 214.00
MSTS-209	Momentum Serial Communication Adapter; character terminal; 8-bit, 9600 baud, isolated RS-232 with four-wire screw terminal; for MUCM debugging	\$ 214.00
MSTS-507	Momentum Serial Communication Adapter/KYZ Counter; Modbus RTU, 8-bit, 19.2K baud, isolated RS-232 with four-wire screw terminal; use with 24VDC-16 point Momentum input base (P/N 170 ADI 340 00) Non-volatile.	\$ 214.00
MU1	MUCM RS-232 port to PC COM: port cable; screw terminal to DB9S	\$ 58.00
MU10	MUCM RS-485 port to QUCM or Momentum PLC cable; screw terminal to RJ45	\$ 58.00
MU11	MUCM RS-485 port to Momentum PLC cable; screw terminal to DB9P	\$ 58.00
MU12	MUCM RS-232 port to modem cable; screw terminal to DB25P with MUCM RTS & CTS connected to Modem DCD & DTR	\$ 58.00
MU13	MUCM RS232 to 9-pin PC with DCD & DTR; screw terminal to DB9S	\$ 58.00
MU14	MUCM RS232 to 9-pin Modem with DCD & DTR; screw terminal to DB9P	\$ 58.00
MU16	MUCM RS-232 port to Caterpillar CCM; screw terminal to DB25S	\$ 58.00

<i>Part #</i>	<i>Description</i>	<i>List Price</i>
MU17	MUCM RS232 to 25-pin Mitsubishi UPS; screw terminal to DB9P	\$ 58.00
MU2	MUCM RS-232 port to Quantum or Compact DB9 port cable; screw terminal to DB9P	\$ 58.00
MU20	MUCM RS-232 to 9-pin Multi-Tech modem cable with DCD, DTR; cable; screw terminal to DB9P	\$ 58.00
MU3	Cable, makes an MUCM RS-232 port look like a PC COM: port; screw terminal to DB9P	\$ 58.00
MU4	MUCM RS-232 port to modem cable; screw terminal to DB25P	\$ 58.00
MU7	MUCM RS-485 port to SY/MAX port cable; screw terminal to DB9P	\$ 58.00
MU8	MUCM RS-485 port to SY/MAX cable-end; screw terminal to DB9S; makes MUCM port look like a SY/MAX port	\$ 58.00
MU9	MUCM RS-232 port to QUCM or Momentum PLC or Compact PLC cable; screw terminal to RJ45	\$ 58.00
MUCM+102	Momentum Base Universal Communication Module; protocol converter, data concentrator, or user-programmed module. Two isolated serial ports with removable screw-terminal connectors: one RS-232, one RS-485. Works with all Momentum communication adapters and processors. Preloaded with MRPC application. RoHS Compliant.	\$ 1,113.00
MUCM+103	Momentum Base Universal Communication Module; protocol converter, data concentrator, or user-programmed module. Two isolated serial ports with removable screw-terminal connectors, independently switchable to RS-232 or RS-485. Works with all Momentum communication adapters and processors. Preloaded with MRPC application. RoHS Compliant.	\$ 1,513.00
NC3	Three-position green screw terminal connector for MST two-wire ports	\$ 8.75
NC5	Five-position Green screw terminal connector for ASC, CTNA, DDC2I, ECM-RM, ENA (five position), MST, MUCM, or PEN-T-SA four-wire; side wire entry	\$ 12.50
NC5-T	Five-position green screw terminal connector for BB85, CTOI, or EDI (five position); top wire entry	\$ 12.50
NCB10	Model 50 to RIU-10 cable (FCB10 equivalent)	\$ 58.00
NCB15	Micro-1 to RIU-10 Cable (six-foot FCB15 equivalent)	\$ 58.00
NCB35	Micro-1 to PR3 handheld cable (six-foot LCB70 equivalent)	\$ 58.00
NCB45	Model 50 to PR3 handheld cable (LC30 equivalent)	\$ 58.00
NRK2	SY/MAX single slot rack and power supply for stand-alone EPE5, MEB, SPE4, RM14K or UCM applications, includes TR122 110 VAC wall transformer	\$ 663.00
NRK2NT	SY/MAX single slot rack and power supply for stand-alone NR&D EPE5, MEB, SPE4, RM14K or UCM applications. No transformer included, requires 10-24 volts AC or DC, 20 watts maximum	\$ 587.00
NS211	SY/NET cable end (CCK211 equivalent)	\$ 69.00
NS212	SY/NET cable T-connector (CCK212 equivalent)	\$ 204.00
NS213	SY/NET cable terminator (CCK213 equivalent, one only)	\$ 69.00
NS214	SY/NET cable extension or barrel (CCK214 equivalent)	\$ 69.00
NS215	SY/NET cable bulkhead extension	\$ 69.00
PB15	Phoenix 15-pin female to screw-terminal block adapter for A66xx cards	\$ 151.00
PB9P	9-pin male to screw terminal adapter	\$ 157.00
PC2	Two-position orange connector for CAT2, CTOI, DDC2I, EDI, or MLWF	\$ 6.00
PC2G	Two-position green power connector for MUCM	\$ 6.00
PC2S	Two-position orange power connector w/ mounting block for CAT2, NRK1, NRK2, QXBP, CRPS, or TR121	\$ 8.40
PC3	Green power connector with polarizing pins for ECM-RM or PEN-T-SA	\$ 13.50
PC4-T	Four-position green PTT/DIAL connector for RM14K	\$ 14.80

<i>Part #</i>	<i>Description</i>	<i>List Price</i>
PEN-T	Piggyback POWERLOGIC to Ethernet NIM with 10BaseT and POWERLOGIC pigtail	\$ 1,336.00
PEN-TCP	Piggyback POWERLOGIC to Ethernet NIM, with AUI port and POWERLOGIC pigtail	\$ 1,336.00
PEN-TCP-SA	Stand-alone POWERLOGIC to Ethernet NIM, with AUI port and DB9S RS-422 port	\$ 1,474.00
PEN-T-SA	Stand-alone POWERLOGIC to Ethernet NIM with 10BaseT and screw terminal RS-485 port	\$ 1,474.00
PI500	HHT programming adapter (use with AB500)	\$ 270.00
PMN	POWERLOGIC to Modbus Plus NIM with MB+ port and POWERLOGIC pigtail	\$ 1,923.00
PMN-SA	Stand-alone POWERLOGIC to Modbus Plus NIM, with MB+ port and DB9S RS-485 port	\$ 2,045.00
QRIO-002	Allen Bradley Remote I/O scanner for Quantum PLC. Unity compatible.	\$ 3,175.00
QSPXM	Quantum Seriplex™ Master, DB9P Seriplex port. Unity compatible.	\$ 1,923.00
QUCM-O	Quantum Universal Communication Module; two RJ45 serial ports, switchable RS-232 or RS-485; protocol converter, data concentrator, or user-programmed module. Preloaded with QRPC application. Unity compatible.	\$ 2,476.00
QUCM-OE	Quantum Universal Communication Module; 10BaseT Ethernet port; two RJ45 serial ports, switchable RS-232 or RS-485; protocol converter, data concentrator, or user-programmed module. Comes with QRPC application which supports Modbus/TCP and SY/MAX Ethernet protocol. Unity compatible.	\$ 3,341.00
QXBP-001	Quantum single slot rack and power supply for stand-alone QUCM application. Includes TR121 110 volt wall transformer.	\$ 557.00
QXBP-002	Quantum single slot rack and power supply for stand-alone QUCM applications. No transformer included; requires 10-24 volts AC or DC, 8 Watts maximum.	\$ 503.00
RB36P	SY/MAX to parallel printer, RS-422 to parallel, DB9 to Centronics 25, replaces SC36P	\$ 315.00
RM14K	SY/MAX, Micro-1, or Model 50 compatible modem for dial-up or leased lines, up to 14,400 baud, with six-foot phone cable; can be powered with NRK2	\$ 1,861.00
RS1	RS-232 25-pin male to 25-pin male cable – ten foot standard length	\$ 58.00
RS2	RS-232 9-pin male to 9-pin female cable	\$ 58.00
RS3	RS-232 9-pin female to 9-pin female null modem cable	\$ 58.00
SA9F	SY/MAX gender changer/null modem, two 9-pin female connectors; DB9S to DB9S	\$ 32.00
SA9M	SY/MAX gender changer/null modem, two 9-pin male connectors; DB9P to DB9P	\$ 32.00
SB422	25-pin female RS-232 (DCE) to 25-pin male RS-422 Converter	\$ 252.00
SB902	POWERLOGIC Demo Case adapter, DB9S RS-232 to DB9S RS-422, TR92 110 VAC wall transformer included	\$ 252.00
SC50IK	Optically Isolated Model 50 to 25-pin RS-232 Programming Cable plus SD034B 25- to 9-pin adapter	\$ 269.00
SC50S	Model 50 to 9-pin RS-232 (PC) Programming Cable.	\$ 239.00
SC606	Modem to SY/MAX converter cable, 25-pin male to 9-pin male, RS-232 to RS-422, TR92 included	\$ 252.00
SC806	25-pin male RS-232 (DTE, i.e. Modem) to 9-pin female RS-422 (SY/MAX) converter cable, TR92 included	\$ 252.00
SC902	SY/MAX programming cable, from PC COM: port to SY/MAX port, DB9 female to DB9 male, RS-232 to RS-422, includes TR92 110 VAC wall transformer	\$ 252.00
SC902K	SC902 programming cable bundled with SD016 25-pin to 9-pin adapter (SC406 replacement)	\$ 268.00
SC902NT	SC902 programming cable supplied without a transformer, requires 7-15 VDC or power from PLC	\$ 229.00
SC902ST	SC902 programming cable with RS-422 end stripped and tinned, includes TR92	\$ 252.00
SC908	9-pin female RS-232 (DCE, i.e. PC) to 9-pin female RS-422 (SY/MAX) converter cable, TR92 included	\$ 252.00

<i>Part #</i>	<i>Description</i>	<i>List Price</i>
SC909	PC to Momentum, RS-232 to RS-485, DB9S to DB9P converter cable, includes TR92 110 V wall transformer	\$ 252.00
SC910	PC to Momentum, RS-232 to RS-485, DB9S to RJ45 converter cable, includes TR92 110 V wall transformer	\$ 252.00
SC912	PC to MUCM converter cable, RS-232 to RS-485, DB9S to screw terminal, includes TR92 110 V wall transformer	\$ 252.00
SCA2S	Model 50 (no echo) or IDEC FA2J to 9-pin RS-232 PC Programming Cable.	\$ 239.00
SCM1S	Micro-1 to 9-pin RS-232 PC Programming Cable.	\$ 239.00
SCM3D	IDEC Micro3 and Micro3C programming cable, mini-DIN to DB9S, no transformer	\$ 239.00
SCX0D	TSX07 to PC programming cable; mini-DIN to DB9	\$ 252.00
SD013	RS-232 9-pin male to 25-pin male adapter	\$ 15.90
SD016	RS-232 9-pin male to 25-pin female adapter; use with SC902 for 25-pin applications	\$ 15.90
SD018	RS-232 9-pin male to 25-pin male adapter; use with SC902 for connection to a modem	\$ 15.90
SD034	RS-232 25-pin male to 9-pin female adapter, one foot long, can be Type A or Type B	\$ 19.00
SD034B	RS-232 25-pin male to 9-pin female adapter, one foot long, configured for common Type B	\$ 19.00
SD084B	RS-232 25-pin male to 9-pin male adapter, one foot long, configured for common Type B	\$ 19.00
SDI	Seriplex Motor Drive Interface, DIN-rail mount	\$ 617.00
SDLM	SY/MAX Data Line Monitor, four bicolor LEDs indicate TX, RX, CTS, RTS	\$ 58.00
SERI-T	SY/MAX Ethernet Remote Interface, with one RS-422 port, 10BaseT Ethernet port. Replaces SY/MAX PLC with Modbus/TCP server.	\$ 2,500.00
SIM	Seriplex Input Multiplexer, DIN-rail mount	\$ 317.00
SL1P	One-piece slide lock for a DE9 connector	\$ 7.40
SL2P	Two-piece slide lock for any D-Subminiature connector	\$ 20.00
SM285	RS-422 (SY/MAX) to RS-485 (two wire) converter	\$ 143.00
SN1	SY/NET cable (six-foot CC201 equivalent)	\$ 140.00
SN2	SY/LINK to SY/NET cable, one foot length	\$ 120.00
SN3	SY/NET to DYMEC cable, one foot length (formerly CS114)	\$ 120.00
SN4	SY/NET cable with one end stripped and tinned, six foot	\$ 70.00
SP25Y	RS-232 input/output splitter, DB9S to a pair of DB25S connectors, Y cable	\$ 45.00
SP9Y	RS-232 input/output splitter, DB9S to a pair of DB9P connectors, Y cable	\$ 45.00
SPE4-3D	SY/MAX Port Expander with four RS-485 ports, one RS-422 port, protocol conversion built-in; rack addressable, 16-bit wide SY/MAX backplane interface	\$ 2,108.00
SPE4-3S	SY/MAX Port Expander with four RS-232 ports, one RS-422 port, protocol conversion built-in; rack addressable, 16-bit wide SY/MAX backplane interface	\$ 2,108.00
SPXM	SY/MAX Seriplex master, DB9P Seriplex port	\$ 864.00
SS39	SY/MAX compatible A/B switch box, RS-422, three 9-pin female connectors w/ slide lock posts	\$ 51.00
TPH	M1E, QUCM or NOE Ethernet port to hub or switch cable; RJ45 to RJ45	\$ 58.00
TPX	M1E, NOE, or QUCM Ethernet port to M1E, NOE, or QUCM Ethernet port crossover cable, RJ45 to RJ45	\$ 58.00
TR121	110 VAC wall transformer for QXBP single slot rack or CRPS	\$ 54.00
TR121ST	110 VAC wall transformer for MUCM (no connector)	\$ 48.00
TR122	110 VAC replacement transformer for NRK2 Single Slot Rack	\$ 76.00

<i>Part #</i>	<i>Description</i>	<i>List Price</i>
TR52R	110 VAC replacement transformer for PEN-SA	\$ 183.00
TR92	110 VAC replacement transformer for SC406 or SC902	\$ 23.00
TR92W	110 VAC wall transformer for DDC2I	\$ 29.00
TR95	110 VAC replacement transformer for 2496X modem	\$ 32.00
TR95W	110 VAC replacement transformer for CTNA, CTOI, EDI, or ENA	\$ 37.00
UCM4-M	Universal Communication Module with four RS-485 ports, user programmed, SY/MAX rack addressable	\$ 4,274.00
UCM4-S	Universal Communication Module with four RS-232 ports, user programmed, SY/MAX rack addressable	\$ 3,715.00

© 1996-2009 Niobrara Research & Development Corporation

All trademarks and registered trademarks are the property of their respective owners.

Niobrara R&D Corp · P.O. Box 3418 · Joplin, MO 64804 · 800-235-6723 · (417) 624-8918 FAX: (417) 624-8920 · USA

www.niobrara.com